Breast Cancer Deaths (Females)

Breast Cancer Deaths (Females)

•Most recent data (2012): 19 deaths per 100,000 females, including 210 deaths.
•Trend over time: 2000-12: falling

Breast cancer deaths (females), King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	20.9	19.7	22.2	222
AGE				
<18	0.0	0.0	0.4	0
18-24	0.0	0.0	0.8	0
5-44	4.0	3.1	5.2	12
5-64	31.5	28.6	34.8	82
5+	106.9	98.7	115.5	128
SENDER				
emale	20.9	19.7	22.2	222
RACE/ETHNICITY	•			
NAN	12.8 §	3.5 §	37.5 §	1
sian	9.3	7.1	11.9	13
Black	23.5	17.6	31.0	11
lispanic	9.3	5.1	16.6	4
Nultiple	8.1 §	3.6 [§]	19.6 §	2
IHPI	*	*	*	*
Vhite	22.7	21.3	24.2	194
IEIGHBORHOOD POVERTY				
ligh	18.6	15.3	22.5	23
1edium	21.0	19.5	22.7	144
ow	21.7	19.1	24.5	55
REGION				
East	20.5	18.1	23.1	57
lorth	18.6	14.6	23.6	16
Seattle	21.5	19.3	24.0	72
South	21.3	19.2	23.6	77

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


'Rate = cases per 100,000 females, age-adjusted to the 2000 US population.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Breast cancer deaths (females) King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = cases per 100,000 females, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories. Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Breast cancer deaths (females) by comparison areas

The Healthy People 2020 Objective for breast cancer deaths (females) is 21/100,000 females.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	22.1	N/A	N/A
WA State	2012	18.5	17.2	19.9
King County	2012	19.0	16.5	21.9

Notes

Source: WA State DOH, Center for Health Statistics, Death Certificates.


Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = cases per 100,000 females, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Breast cancer deaths (females) by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 females, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Breast cancer deaths (females) by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	20.9	19.7	22.2	222
Auburn	23.8	16.9	32.7	8
Auburn-North	22.8	14.5	34.6	5
Auburn-South	25.5	14.4	42.4	3
Bear Creek/Camation/Duvall	20.2	13.1	30.6	6
Bellevue	18.7	14.7	23.7	15
Bellevue-Central	12.3	6.6	22.1	3
Bellevue-NE	22.1	13.9	34.4	5
Bellevue-South	18.5	10.7	32.0	3
Bellewe-West	21.3	13.3	34.6	5
Black Diamond/Enumclaw/SE County	12.0	6.9	20.3	3
Bothell/Woodinville	21.6	13.2	34.0	4
Burien	21.8	14.6	31.8	6
Covington/Maple Valley	18.8	11.3	30.2	4
Des Moines/Normandy Park	29.3	20.3	41.7	8
East Federal Way	25.8	15.7	40.4	4
Fairwood	33.9	19.7	55.5	4
Federal Way	19.6	14.2	26.5	9
Fed Way-Central/Military Rd	21.5	14.6	30.8	6
Fed Way-Dash Point/Woodmont	15.3	7.9	27.5	3
Issaquah	22.3	13.4	36.4	4
Kenmore/LFP	12.7	7.0	22.4	3
Kent	19.2	14.2	25.4	10
				
Kent-East	17.1	8.9	30.2	3
Kent-SE	18.7	12.1	28.0	5
Kent-West	23.6	12.3	41.9	3
Kirkland	19.8	14.3	27.0	9
Kirkland	18.6	12.0	28.3	5
Kirkland North	21.5	12.6	35.1	4
Mercer Isle/Pt Cities	18.9	12.0	33.5	5
Newcastle/Four Creeks	35.6	22.7	54.0	5
North Highline	24.9 §	11.7 §	47.8 §	2
Redmond	20.6	13.5	30.6	6
Renton	23.5	18.1	30.1	13
Renton-East	37.5	23.9	56.9	5
Renton-North	19.3	10.7	33.1	3
Renton-South	19.0	12.4	28.2	5
Sammamish	16.7	7.8	33.1	3
SeaTac/Tukwila	14.5	7.8	25.0	3
Seattle	21.5	19.3	24.0	72
Ballard	18.4	11.5	28.6	5
Beacon/Gtown/S.Park	18.4	11.3	28.9	4
Capitol Hill/E.lake	23.8	15.0	38.4	5
Central Seattle	27.5	18.5	40.5	6
Delridge	24.7	14.7	40	4
Downtown	15.8	9.4	42.3	4
Fremont/Greenlake	24.2	15.0	38.3	5
NE Seattle	27.9	19.9	38.5	8
North Seattle	20.1	12.9	31.3	5
NW Seattle	21.2	13.9	32.5	6
QA/Magnolia	21.0	14.2	31.1	7
SE Seattle	21.9	14.3	32.7	5
West Seattle	19.7	13.6	29.1	7
Shoreline	20.6	14.6	29.1	9
Snoqualmie/North Bend/Skykomish	22.8	12.8	38.7	4
Vashon Island	23.4 §	11.0 §	58.0 §	2
Comparisons:	Z3.4 8	11.0 8	J 28.U 3	

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

 $^{\Lambda}$ Rate = cases per 100,000 females, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

 $^{^\}star$ Too few cases to protect confidentiality and/or report reliable rates.

Breast cancer deaths (females) by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 females, age-adjusted to the 2000 US population.

Breast cancer deaths (females) King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 females, age-adjusted to the 2000 US population.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

